

Open Research Online

The Open University's repository of research publications and other research outputs

Correction to: 'Structure and dynamics of the convective boundary layer on Mars as inferred from large-eddy simulations and remote-sensing measurements'

Journal Item

How to cite:

Spiga, A.; Forget, F.; Lewis, S. R. and Hinson, D. P. (2010). Correction to: 'Structure and dynamics of the convective boundary layer on Mars as inferred from large-eddy simulations and remote-sensing measurements'. Quarterly Journal of the Royal Meteorological Society, 136(653) pp. 2205–2206.

For guidance on citations see [FAQs](#).


© 2010 Royal Meteorological Society

Version: Version of Record

Link(s) to article on publisher's website:
<http://dx.doi.org/doi:10.1002/qj.725>

Copyright and Moral Rights for the articles on this site are retained by the individual authors and/or other copyright owners. For more information on Open Research Online's data [policy](#) on reuse of materials please consult the policies page.

oro.open.ac.uk



Correction to: 'Structure and dynamics of the convective boundary layer on Mars as inferred from large-eddy simulations and remote-sensing measurements'

A. Spiga,^{a,b*} F. Forget,^a S. R. Lewis^b and D. P. Hinson^c

^aLaboratoire de Météorologie Dynamique, Institut Pierre-Simon Laplace, Université Pierre et Marie Curie, Paris, France

^bDepartment of Physics and Astronomy, The Open University, Milton Keynes, UK

^cCarl Sagan Center, SETI Institute, Mountain View, California, USA

*Correspondence to: Faculty of Science, Department of Physics and Astronomy, The Open University, Walton Hall, Milton Keynes MK7 6AA, UK. E-mail: a.spiga@open.ac.uk; spiga@lmd.jussieu.fr

Received 11 August 2010; Accepted 13 October 2010; Published online in Wiley Online Library

Citation: Spiga A, Forget F, Lewis SR, Hinson DP. 2010. Correction to: 'Structure and dynamics of the convective boundary layer on Mars as inferred from large-eddy simulations and remote-sensing measurements'. *Q. J. R. Meteorol. Soc.* **136**: 2205–2206. DOI:10.1002/qj.725

The above article was originally published online in Early View on 20 November 2009, and subsequently in volume 136 (issue 647), pp. 414–428, DOI:10.1002/qj.563.

There was an error in Figures 2, 5, 6 and 9. In these figures the incorrect symbols were used in the lines representing case a and case z. The corrected figures are reproduced below:




Figure 2. Variations of the boundary-layer depth above the local surface with time for the five LES case-studies. h and T_s are defined in Table II.




Figure 5. Variation of the LES statistics with time in the five case-studies defined in Table II. (a) Mixed-layer potential temperature (K), (b) updraught/downdraught maximum vertical velocity (m s^{-1}), (c) maximum vertical eddy heat flux (K m s^{-1}), and (d) maximum turbulent kinetic energy ($\text{m}^2 \text{s}^{-2}$).




Figure 6. Variation of the time derivative of the mixed-layer potential temperature (K h^{-1}) with time for the five LES case-studies. Note that before 1000 LT the behaviour is still influenced by the 'burning-off' of the remains of the night-time inversion.

Equation 4 also contained an error. The corrected equation appears below:

$$\frac{\partial \theta}{\partial t} \approx -\frac{\partial (w' \theta')}{\partial z}. \quad (4)$$




Figure 9. Variations of the convective scaling velocity W_* with time in the five LES case-studies. Values of W_* are computed according to the generalised Eq. (12).